ELSEVIER

Journal of Organometallic Chemistry 520 (1996) 269

Journal of Organometallic Chemistry

# Author Index of Volume 520

Amevor, S.F., 79
Amor, F., 245
Arad, C., 1
Artus, G.R.J., 139
Atwood, J.L., 115

Bahrmann, H., 97
Bakos, J., 45
Barsties, E., 63
Basset, J.-M., 101
Baumann, W., 187, 235, 241
Bein, T., 195
Beller, M., 257
Bergrath, K., 97
Blau, S., 171
Blümel, J., 227
Bock, H., 1
Böhme, M., 31
Bönnemann, H., 143
Böttcher, H.-C., 15
Brauer, H.-D., 201
Braun, G., 143
Brijoux, W., 143
Bringmann, G., 261
Brinkmann, R., 143
Brintzinger, H.-H., 63
Bruckmann, J., 249
Büchner, M., 45
Burlakov, V.V., 235

Chen, J.-T., 85
Cheong, M., 253
Combs, D., 163
Connil, M.-F., 101
Cordonnier, M.-A., 101
Correia, J.D.G., 139

Davis, W.M., 69
De Vos, D.E., 195
Dorer, B., 63

Elison, M., 231
Erbstein, F., 265

Fischer, H., 257
Fischer, R.W., 139
Frenking, G., 31

Geisberger, M.R., 201

Haenel, M.W., 249
Halterman, R.L., 163
Hatzopoulos, I., 201
Haufe, M., 121
Heinicke, J., 131
Herrmann, W.A., 139, 201, 231, 257
Hsu, R.-H., 85
Huang, T.-M., 85
Hund, H.-U., 79
Huttner, G., 45

Jones, P.G., 15
Jousseaume, B., 101

Kadyrov, R., 131
Kempe, R., 187, 235, 241
Khan, M.A., 163
Kihega, J.G., 163
Kim, M.-N., 253
Klaus, U., 211
Kleiner, H.-J., 97
Köhler, F.H., 227
Köhn, R.D., 121
Kreißl, F.R., 59
Krüger, C., 249
Kühlein, K., 257

Lang, H., 171
Lappe, P., 97
Lee, G.-H., 85
Lefeber, C., 187
Lehotkay, Th., 59
Linti, G., 107
Lobmaier, G.M., 231
Lucas, C., 101

Möhring, U., 181

Näther, C., 1
Naumann, C., 97
Neugebauer, U., 171

Ogric, C., 59
Ohff, A., 187, 235, 241
Okuda, J., 245
Ostermeier, J., 59

Peters, D., 97
Peulecke, N., 235
Prinz, M., 101
Prosenc, M.-H., 63

Razavi, A., 115
Regnat, D., 97
Reisinger, C.-P., 257
Rief, U., 63
Röll, W., 63
Romão, C.C., 139
Rosenthal, U., 187, 235, 241

Salzer, A., 79
Santini, C.C., 101
Schaible, S., 63
Scherer, J., 45
Schmutzler, R., 15
Schneider, M.E., 181
Schnellbach, M., 227
Scholz, J., 23
Schrock, R.R., 69
Schulze Tilling, A., 143
Schumann, H., 265
Seevogel, K., 143
Seifert, G., 121
Shim, J.Y., 253
Siepen, K., 143
Spannenberg, A., 187
Stowasser, R., 261

Taube, R., 23
Thönnessen, H., 15
Tillack, A., 187
Toreki, R., 69
Tsai, F.-Y., 85

Vitt, D., 261
Vogl, E.M., 249

Wagener, T., 31
Wang, Y., 85
Weimann, R., 121, 265
Weiss, K., 171
Werner, H., 181
Weyand, O., 63
Windisch, H., 23
Wrackmeyer, B., 23, 211

Zeigan, D., 121
Zietzke, K., 265

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 520 (1996) 271–277

Journal of Organometallic Chemistry

# Subject Index of Volume 520

Ab initio
Zur Chemie des Galliums, 6 [1]: Tris(trimethylsilyl)silylgallium. (I)—eine experimentelle und theoretische Studie (G. Linti), 107
Acenaphthylene and fluoranthene dianions
Wechselwirkungen in Kristallen 99. Alkalimetall-Kontaktionen-multipel von Acenaphthylen- und Fluoranthen-Dianionen: Fünfring- und Sechsring-Koordination (H. Bock, C. Arad und C. Näther), 1
Acetylene
Copper-substituted ethanes as a model for copper–acetylene interactions on the metal surface. Quantum mechanical study of the structure and bonding of copper–acetylene and copper–ethylene compounds $Cu_n(C_2H_2)$ ($n = 1, 2, 4$), $Cu(C_2H_2)^+$, $Cu_n(C_2H_4)$ ($n = 1, 2$) and $Cu(C_2H_4)^{+1,2}$ (M. Böhme, T. Wagener and G. Frenking), 31
Alkoxide
Conversion of rhenium alkylidyne complexes that contain unsupported metal–metal double bonds into relatives that contain $\mu$-alkylidyne ligands (R. Toreki, R.R. Schrock and W.M. Davis), 69
Alkyl derivatives
Linked amido–indenyl complexes of titanium (F. Amor and J. Okuda), 245
Alkylidene
Conversion of rhenium alkylidyne complexes that contain unsupported metal–metal double bonds into relatives that contain $\mu$-alkylidyne ligands (R. Toreki, R.R. Schrock and W.M. Davis), 69
Alkylidyne complexes
Conversion of rhenium alkylidyne complexes that contain unsupported metal–metal double bonds into relatives that contain $\mu$-alkylidyne ligands (R. Toreki, R.R. Schrock and W.M. Davis), 69
Alkyne complex
Reaktion eines Titanocen–Alkin-Komplexes mit Trialkylammoniumtetraphenylborat — eine neue Darstellungsweise und erste Kristallstrukturanalyse von neutralligandhaltigen kationischen Titanocen(III)-Komplexen $[\{Cp_2Ti(L)_2^+\}\{BPh_4^-\}]$ (A. Ohff, R. Kempe, W. Baumann und U. Rosenthal), 241
Allenyl
Regioselective addition of chalcogenol to an $\eta^3$-propargyl/allenyl complex via formation of the carbon–chalcogen bond leading to new chalcogenoxyallyl species (F.-Y. Tsai, R.-H. Hsu, T.-M. Huang, J.-T. Chen, G.-H. Lee and Y. Wang), 85
Allyl
$^{139}$La-NMR-Spektroskopie an Allyllanthan(III)-Komplexen (H. Windisch, J. Scholz, R. Taube und B. Wrackmeyer), 23
Amido–indenyl ligand
Linked amido–indenyl complexes of titanium (F. Amor and J. Okuda), 245
Anionic nucleophile
Reaktionen kationischer $\eta^2$-Phosphinocarben-Komplexe des Wolframs mit anionischen Nukleophilen (Th. Lehotkay, J. Ostermeier, C. Ogric und F.R. Kreißl), 59
13-Benzyl-1,5,9-triazatricyclo[7.3.1.0$^{5,13}$]-tridecane
The chemistry of 1,3,5-triazacyclohexane complexes 5: cationic zinc(II) alkyl complexes of N-alkylated 1,3,5-triazacyclohexanes and 13-benzyl-1,5,9-triazatricyclo[7.3.1.0$^{5,13}$]-tridecane (M. Haufe, R.D. Köhn, R. Weimann, G. Seifert and D. Zeigan), 121
Biaryls, configuratively unstable
Local and non-local DF calculation of the structure of the helically twisted 1,3-dimethyl-{($\eta^6$-chromium-tricarbonyl)benzo}[b]naphtho[1,2-d]pyran-6-one: a comparison (G. Bringmann, R. Stowasser and D. Vitt), 261
Biaryls, lactone-bridged
Local and non-local DF calculation of the structure of the helically twisted 1,3-dimethyl-{($\eta^6$-chromium-tricarbonyl)benzo}[b]naphtho[1,2-d]pyran-6-one: a comparison (G. Bringmann, R. Stowasser and D. Vitt), 261
Bidentate phosphine
Bidentate phosphines of heteroarenes: effective stabilization of the $Co_2(CO)_6$ fragment by 4,6-bis(diphenylphosphino)dibenzofuran (E.M. Vogl, J. Bruckmann, C. Krüger and M.W. Haenel), 249
Binaphthyl
Synthesis of ansa-2,2′-bis[(4,7-dimethyl-inden-1-yl)methyl]-1,1′-binaphthyl and ansa-2,2′-bis[(4,5,6,7-tetrahydroinden1-yl)methyl]-1,1′-binaphthyltitanium and -zirconium dichlorides (R.L. Halterman, D. Combs, J.G. Kihega and M.A. Khan), 163
BINAS
BINAS – synthesis and use of a new ligand for propylene hydroformylation (H. Bahrmann, K. Bergrath, H.-J. Kleiner, P. Lappe, C. Naumann, D. Peters and D. Regnat), 97

Carbon–chalcogen bond formation
Regioselective addition of chalcogenol to an $\eta^3$-propargyl/allenyl complex via formation of the carbon–chalcogen bond leading to new chalcogenoxyallyl species (F.-Y. Tsai, R.-H. Hsu, T.-M. Huang, J.-T. Chen, G.-H. Lee and Y. Wang), 85
Carbonyl
Bidentate phosphines of heteroarenes: effective stabilization of the $Co_2(CO)_6$ fragment by 4,6-bis(diphenylphosphino)dibenzofuran (E.M. Vogl, J. Bruckmann, C. Krüger and M.W. Haenel), 249
Influence of solvents on the insertion of methacrolein into zirconacyclopropenes (N. Peulecke, A. Ohff, W. Baumann, R. Kempe, V.V. Burlakov and U. Rosenthal), 235
New heterodimetallic cyclopentadienyl carbonyl complexes: crystal structure of $(C_5Me_4Et)W(\mu\text{-}CO)_3Ru(C_5Me_5)$ (S.F. Amevor, H.-U. Hund and A. Salzer), 79
Reactions of $[Ru_3(CO)_{10}(\mu\text{-}Ph_2PCH_2PPh_2)]$ with secondary phosphines $R_2PH$ involving bulky substituents (R = $^t$Bu, 1-Ad, Cy); X-ray crystal structures of $[Ru_3(CO)_6(\mu\text{-}H)_2(\mu\text{-}PCy_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ and the electron-deficient carbonyl cluster $[Ru_3(\mu\text{-}CO)(CO)_4(\mu_3\text{-}H)(\mu\text{-}H)(\mu\text{-}P^tBu_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ (H.-C. Böttcher, H. Thönnessen, P.G. Jones and R. Schmutzler), 15

Catalysis
First palladium-catalyzed Heck reactions with efficient colloidal catalyst systems (M. Beller, H. Fischer, K. Kühlein, C.-P. Reisinger and W.A. Herrmann), 257
Nanoscale colloidal metals and alloys stabilized by solvents and surfactants. Preparation and use as catalyst precursors (H. Bönnemann, G. Braun, W. Brijoux, R. Brinkmann, A. Schulze Tilling, K. Seevogel and K. Siepen), 143
Rhodium-catalyzed double carbonylation of diiodomethane in the presence of triethylorthoformate (M. Cheong, M.-N. Kim and J.Y. Shim), 253
Cationic titanium(III) bonding
Reaktion eines Titanocen–Alkin-Komplexes mit Trialkylammoniumtetraphenylborat — eine neue Darstellungsweise und erste Kristallstrukturanalyse von neutralligandhaltigen kationischen Titanocen(III)-Komplexen $[\{Cp_2Ti(L)_2^+\}\{BPh_4^-\}]$ (A. Ohff, R. Kempe, W. Baumann und U. Rosenthal), 241
C–C coupling
Supported transition-metal catalysts for the C–C coupling reaction between ethene and diazoalkanes (M.E. Schneider, U. Möhring and H. Werner), 181
Chiral phosphite ligands
Chirale Tripod-Rhodium-Komplexe: Ligandsynthese, Komplexchemie, Katalyse (J. Scherer, G. Huttner, M. Büchner und J. Bakos), 45
Chiral rhodium complexes
Chirale Tripod-Rhodium-Komplexe: Ligandsynthese, Komplexchemie, Katalyse (J. Scherer, G. Huttner, M. Büchner und J. Bakos), 45
Chiral tripodal ligands
Chirale Tripod-Rhodium-Komplexe: Ligandsynthese, Komplexchemie, Katalyse (J. Scherer, G. Huttner, M. Büchner und J. Bakos), 45
Chromium
New heterodimetallic cyclopentadienyl carbonyl complexes: crystal structure of $(C_5Me_4Et)W(\mu\text{-}CO)_3Ru(C_5Me_5)$ (S.F. Amevor, H.-U. Hund and A. Salzer), 79
The Union Carbide catalyst ($Cp_2Cr + SiO_2$), studied by solid-state NMR (M. Schnellbach, F.H. Köhler and J. Blümel), 227
Chromium tricarbonyl arene complex
Local and non-local DF calculation of the structure of the helically twisted 1,3-dimethyl-{($\eta^6$-chromium-tricarbonyl)benzo}[b]naphtho[1,2-d]pyran-6-one: a comparison (G. Bringmann, R. Stowasser and D. Vitt), 261
Chromocenes
The Union Carbide catalyst ($Cp_2Cr + SiO_2$), studied by solid-state NMR (M. Schnellbach, F.H. Köhler and J. Blümel), 227
Cleavage of epichlorohydrine
Chirale Tripod-Rhodium-Komplexe: Ligandsynthese, Komplexchemie, Katalyse (J. Scherer, G. Huttner, M. Büchner und J. Bakos), 45
Cobalt
Bidentate phosphines of heteroarenes: effective stabilization of the $Co_2(CO)_6$ fragment by 4,6-bis(diphenylphosphino)dibenzofuran (E.M. Vogl, J. Bruckmann, C. Krüger and M.W. Haenel), 249
Colloids
First palladium-catalyzed Heck reactions with efficient colloidal catalyst systems (M. Beller, H. Fischer, K. Kühlein, C.-P. Reisinger and W.A. Herrmann), 257
Contact ion multiples
Wechselwirkungen in Kristallen 99. Alkalimetall-Kontaktionenmultipel von Acenaphthylen- und Fluoranthen-Dianionen: Fünfring- und Sechsring-Koordination (H. Bock, C. Arad und C. Näther), 1
Copper
Copper-substituted ethanes as a model for copper–acetylene interactions on the metal surface. Quantum mechanical study of the structure and bonding of copper–acetylene and copper–ethylene compounds $Cu_n(C_2H_2)$ ($n = 1, 2, 4$), $Cu(C_2H_2)^+$, $Cu_n(C_2H_4)$ ($n = 1, 2$) and $Cu(C_2H_4)^{+1,2}$ (M. Böhme, T. Wagener and G. Frenking), 31
Coupling constants
New phosphabenzenes by [4 + 2] cycloaddition of stannoles to 1-phospha-1-alkynes – determination of signs of coupling constants [$^nJ(^{31}P, ^{13}C)$, $^nJ(^{31}P, ^1H)$, $^2J(^{31}P, ^{29}Si)$, $^2J(^{119}Sn, ^{31}P)$] (B. Wrackmeyer and U. Klaus), 211
Crystal structure
Multiple bonds between main group elements and transition metals, 155. (Hexamethylphosphoramide)methyl(oxo)bis($\eta^2$-peroxo)rhenium(VII), the first example of an anhydrous rhenium peroxo complex: crystal structure and catalytic properties (W.A. Herrmann, J.D.G. Correia, G.R.J. Artus, R.W. Fischer and C.C. Romão), 139
New heterodimetallic cyclopentadienyl carbonyl complexes: crystal structure of $(C_5Me_4Et)W(\mu\text{-}CO)_3Ru(C_5Me_5)$ (S.F. Amevor, H.-U. Hund and A. Salzer), 79
Reactions of $[Ru_3(CO)_{10}(\mu\text{-}Ph_2PCH_2PPh_2)]$ with secondary phosphines $R_2PH$ involving bulky substituents ($R = {}^tBu$, 1-Ad, Cy); X-ray crystal structures of $[Ru_3(CO)_6(\mu\text{-}H)_2(\mu\text{-}PCy_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ and the electron-deficient carbonyl cluster $[Ru_3(\mu\text{-}CO)(CO)_4(\mu_3\text{-}H)(\mu\text{-}H)(\mu\text{-}P^tBu_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ (H.-C. Böttcher, H. Thönnessen, P.G. Jones and R. Schmutzler), 15
[4 + 2] Cycloadditions
New phosphabenzenes by [4 + 2] cycloaddition of stannoles to 1-phospha-1-alkynes – determination of signs of coupling constants [$^nJ(^{31}P, ^{13}C)$, $^nJ(^{31}P, ^1H)$, $^2J(^{31}P, ^{29}Si)$, $^2J(^{119}Sn, ^{31}P)$] (B. Wrackmeyer and U. Klaus), 211
Cyclopentadienyl
$^{139}$La-NMR-Spektroskopie an Allyllanthan(III)-Komplexen (H. Windisch, J. Scholz, R. Taube und B. Wrackmeyer), 23
Intramolekulare Cyclisierung von terminal disubstituierten $\alpha,\omega$-Diinen an Titanocen "$Cp_2Ti$" mit einer nachfolgendenungewöhnlichen Cp-Ringöffnung und neuen intramolekularen C–C-Knüpfung (A. Tillack, W. Baumann, A. Ohff, C. Lefeber, A. Spannenberg, R. Kempe und U. Rosenthal), 187
Metallorganische Verbindungen der Lanthanoide CVIII. Synthese und Strukturaufklärung monomerer Organolanthanoidacetate (H. Schumann, K. Zietzke, F. Erbstein und R. Weimann), 265
New heterodimetallic cyclopentadienyl carbonyl complexes: crystal structure of $(C_5Me_4Et)W(\mu\text{-}CO)_3Ru(C_5Me_5)$ (S.F. Amevor, H.-U. Hund and A. Salzer), 79
Density functional calculation
Local and non-local DF calculation of the structure of the helically twisted 1,3-dimethyl-{($\eta^6$-chromium-tricarbonyl)benzo}[b]naphtho[1,2-d]pyran-6-one: a comparison (G. Bringmann, R. Stowasser and D. Vitt), 261
Diazoalkanes
Supported transition-metal catalysts for the C–C coupling reaction between ethene and diazoalkanes (M.E. Schneider, U. Möhring and H. Werner), 181
Dibenzofuran
Bidentate phosphines of heteroarenes: effective stabilization of the $Co_2(CO)_6$ fragment by 4,6-bis(diphenylphosphino)dibenzofuran (E.M. Vogl, J. Bruckmann, C. Krüger and M.W. Haenel), 249

Diiodomethane
Rhodium-catalyzed double carbonylation of diiodomethane in the presence of triethylorthoformate (M. Cheong, M.-N. Kim and J.Y. Shim), 253
Dimethylsilylen-bridged metallocenes
Untersuchungen von Polymerisations- und Metathesereaktionen, XXIII. Einfach und zweifach dimethylsilylen-verbrückte Metallocendichloride des Ti, Zr und Hf in der Ethen- und Propen-Polymerisation (K. Weiss, U. Neugebauer, S. Blau und H. Lang), 171
Dinuclear phosphine complex
Bidentate phosphines of heteroarenes: effective stabilization of the $Co_2(CO)_6$ fragment by 4,6-bis(diphenylphosphino)dibenzofuran (E.M. Vogl, J. Bruckmann, C. Krüger and M.W. Haenel), 249
Diphosphines
o-Hydroxyarylphosphines and diphosphines: metallation–rearrangement versus P–O reduction of o-halogenoaryloxyphosphines by sodium (J. Heinicke and R. Kadyrov), 131
Diyenes
Intramolekulare Cyclisierung von terminal disubstituierten $\alpha,\omega$-Diinen an Titanocen "$Cp_2Ti$" mit einer nachfolgendenungewöhnlichen Cp-Ringöffnung und neuen intramolekularen C–C-Knüpfung (A. Tillack, W. Baumann, A. Ohff, C. Lefeber, A. Spannenberg, R. Kempe und U. Rosenthal), 187
Double Carbonylation
Rhodium-catalyzed double carbonylation of diiodomethane in the presence of triethylorthoformate (M. Cheong, M.-N. Kim and J.Y. Shim), 253

Early transition metals
Influence of solvents on the insertion of methacrolein into zirconacyclopropenes (N. Peulecke, A. Ohff, W. Baumann, R. Kempe, V.V. Burlakov and U. Rosenthal), 235
Enantioselective hydrogenations
Chirale Tripod-Rhodium-Komplexe: Ligandsynthese, Komplexchemie, Katalyse (J. Scherer, G. Huttner, M. Büchner und J. Bakos), 45
Enantioselectivity
Nanoscale colloidal metals and alloys stabilized by solvents and surfactants. Preparation and use as catalyst precursors (H. Bönnemann, G. Braun, W. Brijoux, R. Brinkmann, A. Schulze Tilling, K. Seevogel and K. Siepen), 143
Epoxidation
Highly selective olefin epoxidation with manganese triazacyclononane complexes: impact of ligand substitution (D.E. De Vos and T. Bein), 195
Ethyl
The chemistry of 1,3,5-triazacyclohexane complexes 5: cationic zinc(II) alkyl complexes of N-alkylated 1,3,5-triazacyclohexanes and 13-benzyl-1,5,9-triazatricyclo[7.3.1.$0^{5,13}$]-tridecane (M. Haufe, R.D. Köhn, R. Weimann, G. Seifert and D. Zeigan), 121

Functionalized triazacyclononane
Highly selective olefin epoxidation with manganese triazacyclononane complexes: impact of ligand substitution (D.E. De Vos and T. Bein), 195

Gallium(I) compounds
Zur Chemie des Galliums, 6 [1]: Tris(trimethylsilyl)silylgallium. (I)—eine experimentelle und theoretische Studie (G. Linti), 107
Gallium silyl
Zur Chemie des Galliums, 6 [1]: Tris(trimethylsilyl)silylgallium. (I)—eine experimentelle und theoretische Studie (G. Linti), 107

Group 4
Influence of solvents on the insertion of methacrolein into zirconacyclopropenes (N. Peulecke, A. Ohff, W. Baumann, R. Kempe, V.V. Burlakov and U. Rosenthal), 235
Intramolekulare Cyclisierung von terminal disubstituierten $\alpha,\omega$-Diinen an Titanocen "$Cp_2Ti$" mit einer nachfolgendenungewöhnlichen Cp-Ringöffnung und neuen intramolekularen C–C-Knüpfung (A. Tillack, W. Baumann, A. Ohff, C. Lefeber, A. Spannenberg, R. Kempe und U. Rosenthal), 187
Reaktion eines Titanocen–Alkin-Komplexes mit Trialkylammoniumtetraphenylborat — eine neue Darstellungsweise und erste Kristallstrukturanalyse von neutralligandhaltigen kationischen Titanocen(III)-Komplexen $[\{Cp_2Ti(L)_2^+\}\{BPh_4^-\}]$ (A. Ohff, R. Kempe, W. Baumann und U. Rosenthal), 241

Hafnium
Untersuchungen von Polymerisations- und Metathesereaktionen, XXIII. Einfach und zweifach dimethylsilylen-verbrückte Metallocendichloride des Ti, Zr und Hf in der Ethen- und Propen-Polymerisation (K. Weiss, U. Neugebauer, S. Blau und H. Lang), 171
Heck reaction
First palladium-catalyzed Heck reactions with efficient colloidal catalyst systems (M. Beller, H. Fischer, K. Kühlein, C.-P. Reisinger and W.A. Herrmann), 257
Heterocyclic carbenes
*N*-Heterocyclic carbenes as ligands in high-valent molybdenum and tungsten complexes (W.A. Herrmann, G.M. Lobmaier and M. Elison), 231
Heterogeneous bimetallic catalysis
New optically active organotin compounds for heterogeneous bimetallic catalysis (C. Lucas, C.C. Santini, M. Prinz, M.-A. Cordonnier, J.-M. Basset, M.-F. Connil and B. Jousseaume), 101
Hydrogen peroxide
Highly selective olefin epoxidation with manganese triazacyclononane complexes: impact of ligand substitution (D.E. De Vos and T. Bein), 195
Hydroxyarylphosphines
o-Hydroxyarylphosphines and diphosphines: metallation–rearrangement versus P–O reduction of o-halogenoaryloxyphosphines by sodium (J. Heinicke and R. Kadyrov), 131
Hypersilyl gallium
Zur Chemie des Galliums, 6 [1]: Tris(trimethylsilyl)silylgallium. (I)—eine experimentelle und theoretische Studie (G. Linti), 107

Imidazoline-2-ylidene
*N*-Heterocyclic carbenes as ligands in high-valent molybdenum and tungsten complexes (W.A. Herrmann, G.M. Lobmaier and M. Elison), 231
Intramolecular cyclizations
Intramolekulare Cyclisierung von terminal disubstituierten $\alpha,\omega$-Diinen an Titanocen "$Cp_2Ti$" mit einer nachfolgendenungewöhnlichen Cp-Ringöffnung und neuen intramolekularen C–C-Knüpfung (A. Tillack, W. Baumann, A. Ohff, C. Lefeber, A. Spannenberg, R. Kempe und U. Rosenthal), 187
Iridium
Supported transition-metal catalysts for the C–C coupling reaction between ethene and diazoalkanes (M.E. Schneider, U. Möhring and H. Werner), 181
Isotactic propylene polymerization
Synthesis and characterization of the catalytic isotactic-specific metallocene complex ($\eta^5$-$C_5H_3C_4H_9$–$CMe_2$-$\eta^5$-$C_{13}H_8$)$ZrCl_2$. Mechanistic aspects of the formation of isotactic polypropylene, the stereoregulative effect of the distal substituent and the relevance of $C_2$ symmetry (A. Razavi and J.L. Atwood), 115

$^{139}$La-NMR spectroscopy
$^{139}$La-NMR-Spektroskopie an Allyllanthan(III)-Komplexen (H. Windisch, J. Scholz, R. Taube und B. Wrackmeyer), 23
Lanthanum
$^{139}$La-NMR-Spektroskopie an Allyllanthan(III)-Komplexen (H. Windisch, J. Scholz, R. Taube und B. Wrackmeyer), 23
Metallorganische Verbindungen der Lanthanoide CVIII. Synthese und Strukturaufklärung monomerer Organolanthanoidacetate (H. Schumann, K. Zietzke, F. Erbstein und R. Weimann), 265
Ligand
o-Hydroxyarylphosphines and diphosphines: metallation–rearrangement versus P–O reduction of o-halogenoaryloxyphosphines by sodium (J. Heinicke and R. Kadyrov), 131
Lithium stannate
New optically active organotin compounds for heterogeneous bimetallic catalysis (C. Lucas, C.C. Santini, M. Prinz, M.-A. Cordonnier, J.-M. Basset, M.-F. Connil and B. Jousseaume), 101
Lutetium
Metallorganische Verbindungen der Lanthanoide CVIII. Synthese und Strukturaufklärung monomerer Organolanthanoidacetate (H. Schumann, K. Zietzke, F. Erbstein und R. Weimann), 265

Manganese
Highly selective olefin epoxidation with manganese triazacyclononane complexes: impact of ligand substitution (D.E. De Vos and T. Bein), 195
Metal colloids
Nanoscale colloidal metals and alloys stabilized by solvents and surfactants. Preparation and use as catalyst precursors (H. Bönnemann, G. Braun, W. Brijoux, R. Brinkmann, A. Schulze Tilling, K. Seevogel and K. Siepen), 143
Metallacycle
Intramolekulare Cyclisierung von terminal disubstituierten $\alpha,\omega$-Diinen an Titanocen "$Cp_2Ti$" mit einer nachfolgendenungewöhnlichen Cp-Ringöffnung und neuen intramolekularen C–C-Knüpfung (A. Tillack, W. Baumann, A. Ohff, C. Lefeber, A. Spannenberg, R. Kempe und U. Rosenthal), 187
Metallation
o-Hydroxyarylphosphines and diphosphines: metallation–rearrangement versus P–O reduction of o-halogenoaryloxyphosphines by sodium (J. Heinicke and R. Kadyrov), 131
ansa-Metallocene
Synthesis of ansa-2,2′-bis[(4,7-dimethyl-inden-1-yl)methyl]-1,1′-binaphthyl and ansa-2,2′-bis[(4,5,6,7-tetrahydroinden1-yl)methyl]-1,1′-binaphthyltitanium and -zirconium dichlorides (R.L. Halterman, D. Combs, J.G. Kihega and M.A. Khan), 163
Metallocenes
Reaktion eines Titanocen–Alkin-Komplexes mit Trialkylammoniumtetraphenylborat — eine neue Darstellungsweise und erste Kristallstrukturanalyse von neutralligandhaltigen kationischen Titanocen(III)-Komplexen $[\{Cp_2Ti(L)_2^+\}\{BPh_4^-\}]$ (A. Ohff, R. Kempe, W. Baumann und U. Rosenthal), 241
The Union Carbide catalyst ($Cp_2Cr + SiO_2$), studied by solid-state NMR (M. Schnellbach, F.H. Köhler and J. Blümel), 227
Metal–metal bond
New heterodimetallic cyclopentadienyl carbonyl complexes: crystal structure of $(C_5Me_4Et)W(\mu\text{-}CO)_3Ru(C_5Me_5)$ (S.F. Amevor, H.-U. Hund and A. Salzer), 79
Methyl(oxo)bis($\eta^2$-peroxo)rhenium(VII)
Multiple bonds between main group elements and transition metals, 155. (Hexamethylphosphoramide)methyl(oxo)bis($\eta^2$-peroxo)rhenium(VII), the first example of an anhydrous rhenium peroxo complex: crystal structure and catalytic properties (W.A. Herrmann, J.D.G. Correia, G.R.J. Artus, R.W. Fischer and C.C. Romão), 139
MNDO calculations
Wechselwirkungen in Kristallen 99. Alkalimetall-Kontaktionenmultipel von Acenaphthylen- und Fluoranthen-Dianionen: Fünfring- und Sechsring-Koordination (H. Bock, C. Arad und C. Näther), 1
Molybdenum
New heterodimetallic cyclopentadienyl carbonyl complexes: crystal structure of $(C_5Me_4Et)W(\mu\text{-}CO)_3Ru(C_5Me_5)$ (S.F. Amevor, H.-U. Hund and A. Salzer), 79
Molybdenum(VI)
*N*-Heterocyclic carbenes as ligands in high-valent molybdenum and tungsten complexes (W.A. Herrmann, G.M. Lobmaier and M. Elison), 231
Multinuclear NMR
New phosphabenzenes by [4 + 2] cycloaddition of stannoles to 1-phospha-1-alkynes – determination of signs of coupling constants [$^nJ(^{31}P, ^{13}C)$, $^nJ(^{31}P, ^1H)$, $^2J(^{31}P, ^{29}Si)$, $^2J(^{119}Sn, ^{31}P)$] (B. Wrackmeyer and U. Klaus), 211

NMR spectroscopy
$^{139}$La-NMR-Spektroskopie an Allyllanthan(III)-Komplexen (H. Windisch, J. Scholz, R. Taube und B. Wrackmeyer), 23
The chemistry of 1,3,5-triazacyclohexane complexes 5: cationic zinc(II) alkyl complexes of N-alkylated 1,3,5-triazacyclohexanes and 13-benzyl-1,5,9-triazatricyclo[7.3.1.0$^{5,13}$]-tridecane (M. Haufe, R.D. Köhn, R. Weimann, G. Seifert and D. Zeigan), 121
2N,N-dimethylamino-indenyl ligand
ansa-Metallocene derivatives XXXIII. 2-Dimethylamino-substituted bis-indenyl zirconium dichloride complexes with and without a dimethylsilyl bridge: syntheses, crystal structures and properties in propene polymerization catalysis (E. Barsties, S. Schaible, M.-H. Prosenc, U. Rief, W. Röll, O. Weyand, B. Dorer and H.-H. Brintzinger), 63

Olefin
Supported transition-metal catalysts for the C–C coupling reaction between ethene and diazoalkanes (M.E. Schneider, U. Möhring and H. Werner), 181
Olefin polymerization
Untersuchungen von Polymerisations- und Metathesereaktionen, XXIII. Einfach und zweifach dimethylsilylen-verbrückte Metallocendichloride des Ti, Zr und Hf in der Ethen- und Propen-Polymerisation (K. Weiss, U. Neugebauer, S. Blau und H. Lang), 171
Optically active organotin compounds
New optically active organotin compounds for heterogeneous bimetallic catalysis (C. Lucas, C.C. Santini, M. Prinz, M.-A. Cordonnier, J.-M. Basset, M.-F. Connil and B. Jousseaume), 101
Organolanthoid acetate
Metallorganische Verbindungen der Lanthanoide CVIII. Synthese und Strukturaufklärung monomerer Organolanthanoidacetate (H. Schumann, K. Zietzke, F. Erbstein und R. Weimann), 265
Orthoamides
The chemistry of 1,3,5-triazacyclohexane complexes 5: cationic zinc(II) alkyl complexes of N-alkylated 1,3,5-triazacyclohexanes and 13-benzyl-1,5,9-triazatricyclo[7.3.1.0$^{5,13}$]-tridecane (M. Haufe, R.D. Köhn, R. Weimann, G. Seifert and D. Zeigan), 121

Palladium
First palladium-catalyzed Heck reactions with efficient colloidal catalyst systems (M. Beller, H. Fischer, K. Kühlein, C.-P. Reisinger and W.A. Herrmann), 257
1-Phospha-1-alkynes
New phosphabenzenes by [4 + 2] cycloaddition of stannoles to 1-phospha-1-alkynes – determination of signs of coupling constants

[$^nJ(^{31}P, ^{13}C)$, $^nJ(^{31}P, ^{1}H)$, $^2J(^{31}P, ^{29}Si)$, $^2J(^{119}Sn, ^{31}P)$] (B. Wrackmeyer and U. Klaus), 211

Phosphabenzenes
New phosphabenzenes by [4 + 2] cycloaddition of stannoles to 1-phospha-1-alkynes – determination of signs of coupling constants [$^nJ(^{31}P, ^{13}C)$, $^nJ(^{31}P, ^{1}H)$, $^2J(^{31}P, ^{29}Si)$, $^2J(^{119}Sn, ^{31}P)$] (B. Wrackmeyer and U. Klaus), 211

Phosphido-bridged
Reactions of $[Ru_3(CO)_{10}(\mu\text{-}Ph_2PCH_2PPh_2)]$ with secondary phosphines $R_2PH$ involving bulky substituents (R = $^t$Bu, 1-Ad, Cy); X-ray crystal structures of $[Ru_3(CO)_6(\mu\text{-}H)_2(\mu\text{-}PCy_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ and the electron-deficient carbonyl cluster $[Ru_3(\mu\text{-}CO)(CO)_4(\mu_3\text{-}H)(\mu\text{-}H)(\mu\text{-}P^tBu_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ (H.-C. Böttcher, H. Thönnessen, P.G. Jones and R. Schmutzler), 15

Phosphinocarbene complex
Reaktionen kationischer $\eta^2$-Phosphinocarben-Komplexe des Wolframs mit anionischen Nukleophilen (Th. Lehotkay, J. Ostermeier, C. Ogric und F.R. Kreißl), 59

Phosphinovinyl complex
Reaktionen kationischer $\eta^2$-Phosphinocarben-Komplexe des Wolframs mit anionischen Nukleophilen (Th. Lehotkay, J. Ostermeier, C. Ogric und F.R. Kreißl), 59

Phosphorus ligands
BINAS – synthesis and use of a new ligand for propylene hydroformylation (H. Bahrmann, K. Bergrath, H.-J. Kleiner, P. Lappe, C. Naumann, D. Peters and D. Regnat), 97

Photolysis
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. 158. Photochemische und photophysikalische Eigenschaften des Epoxidierungskatalysators $CH_3ReO(O_2)_2 \cdot H_2O$ (I. Hatzopoulos, H.-D. Brauer, M.R. Geisberger und W.A. Herrmann), 201

Platinum
Regioselective addition of chalcogenol to an $\eta^3$-propargyl/allenyl complex via formation of the carbon–chalcogen bond leading to new chalcogenoxyallyl species (F.-Y. Tsai, R.-H. Hsu, T.-M. Huang, J.-T. Chen, G.-H. Lee and Y. Wang), 85

Propargyl
Regioselective addition of chalcogenol to an $\eta^3$-propargyl/allenyl complex via formation of the carbon–chalcogen bond leading to new chalcogenoxyallyl species (F.-Y. Tsai, R.-H. Hsu, T.-M. Huang, J.-T. Chen, G.-H. Lee and Y. Wang), 85

Propylene hydroformylation
BINAS – synthesis and use of a new ligand for propylene hydroformylation (H. Bahrmann, K. Bergrath, H.-J. Kleiner, P. Lappe, C. Naumann, D. Peters and D. Regnat), 97

Quantum mechanical study
Copper-substituted ethanes as a model for copper–acetylene interactions on the metal surface. Quantum mechanical study of the structure and bonding of copper–acetylene and copper–ethylene compounds $Cu_n(C_2H_2)$ ($n$ = 1, 2, 4), $Cu(C_2H_2)^+$, $Cu_n(C_2H_4)$ ($n$ = 1, 2) and $Cu(C_2H_4)^{+1,2}$ (M. Böhme, T. Wagener and G. Frenking), 31

Rearrangement
o-Hydroxyarylphosphines and diphosphines: metallation–rearrangement versus P–O reduction of o-halogenoaryloxyphosphines by sodium (J. Heinicke and R. Kadyrov), 131

Regioselective addition reactions
Regioselective addition of chalcogenol to an $\eta^3$-propargyl/allenyl complex via formation of the carbon–chalcogen bond leading to new chalcogenoxyallyl species (F.-Y. Tsai, R.-H. Hsu, T.-M. Huang, J.-T. Chen, G.-H. Lee and Y. Wang), 85

Rhenium
Conversion of rhenium alkylidyne complexes that contain unsupported metal–metal double bonds into relatives that contain $\mu$-alkylidyne ligands (R. Toreki, R.R. Schrock and W.M. Davis), 69
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. 158. Photochemische und photophysikalische Eigenschaften des Epoxidierungskatalysators $CH_3ReO(O_2)_2 \cdot H_2O$ (I. Hatzopoulos, H.-D. Brauer, M.R. Geisberger und W.A. Herrmann), 201
Multiple bonds between main group elements and transition metals, 155. (Hexamethylphosphoramide)methyl(oxo)bis($\eta^2$-peroxo)rhenium(VII), the first example of an anhydrous rhenium peroxo complex: crystal structure and catalytic properties (W.A. Herrmann, J.D.G. Correia, G.R.J. Artus, R.W. Fischer and C.C. Romão), 139

Rhodium
Rhodium-catalyzed double carbonylation of diiodomethane in the presence of triethylorthoformate (M. Cheong, M.-N. Kim and J.Y. Shim), 253
Supported transition-metal catalysts for the C–C coupling reaction between ethene and diazoalkanes (M.E. Schneider, U. Möhring and H. Werner), 181

Ruthenium
New heterodimetallic cyclopentadienyl carbonyl complexes: crystal structure of $(C_5Me_4Et)W(\mu\text{-}CO)_3Ru(C_5Me_5)$ (S.F. Amevor, H.-U. Hund and A. Salzer), 79
Reactions of $[Ru_3(CO)_{10}(\mu\text{-}Ph_2PCH_2PPh_2)]$ with secondary phosphines $R_2PH$ involving bulky substituents (R = $^t$Bu, 1-Ad, Cy); X-ray crystal structures of $[Ru_3(CO)_6(\mu\text{-}H)_2(\mu\text{-}PCy_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ and the electron-deficient carbonyl cluster $[Ru_3(\mu\text{-}CO)(CO)_4(\mu_3\text{-}H)(\mu\text{-}H)(\mu\text{-}P^tBu_2)_2(\mu\text{-}Ph_2PCH_2PPh_2)]$ (H.-C. Böttcher, H. Thönnessen, P.G. Jones and R. Schmutzler), 15

Silyl derivatives
Zur Chemie des Galliums, 6 [1]: Tris(trimethylsilyl)silylgallium. (I)—eine experimentelle und theoretische Studie (G. Linti), 107

Single crystal structure analysis
Wechselwirkungen in Kristallen 99. Alkalimetall-Kontaktionenmultipel von Acenaphthylen- und Fluoranthen-Dianionen: Fünfring- und Sechsring-Koordination (H. Bock, C. Arad und C. Näther), 1

Sodium
o-Hydroxyarylphosphines and diphosphines: metallation–rearrangement versus P–O reduction of o-halogenoaryloxyphosphines by sodium (J. Heinicke and R. Kadyrov), 131

Sodium organic compounds
Wechselwirkungen in Kristallen 99. Alkalimetall-Kontaktionenmultipel von Acenaphthylen- und Fluoranthen-Dianionen: Fünfring- und Sechsring-Koordination (H. Bock, C. Arad und C. Näther), 1

Solid-state NMR spectroscopy
The Union Carbide catalyst ($Cp_2Cr + SiO_2$), studied by solid-state NMR (M. Schnellbach, F.H. Köhler and J. Blümel), 227

Solvent effects
Highly selective olefin epoxidation with manganese triazacyclononane complexes: impact of ligand substitution (D.E. De Vos and T. Bein), 195

Stannoles
New phosphabenzenes by [4 + 2] cycloaddition of stannoles to 1-phospha-1-alkynes – determination of signs of coupling constants [$^nJ(^{31}P, ^{13}C)$, $^nJ(^{31}P, ^{1}H)$, $^2J(^{31}P, ^{29}Si)$, $^2J(^{119}Sn, ^{31}P)$] (B. Wrackmeyer and U. Klaus), 211

Stannylenes
New phosphabenzenes by [4 + 2] cycloaddition of stannoles to 1-phospha-1-alkynes – determination of signs of coupling constants [$^nJ(^{31}P, ^{13}C)$, $^nJ(^{31}P, ^1H)$, $^2J(^{31}P, ^{29}Si)$, $^2J(^{119}Sn, ^{31}P)$] (B. Wrackmeyer and U. Klaus), 211
Stereoregulative effects
Synthesis and characterization of the catalytic isotactic-specific metallocene complex ($\eta^5$-$C_5H_3C_4H_9$–$CMe_2$-$\eta^5$-$C_{13}H_8$)$ZrCl_2$. Mechanistic aspects of the formation of isotactic polypropylene, the stereoregulative effect of the distal substituent and the relevance of $C_2$ symmetry (A. Razavi and J.L. Atwood), 115
Stereoselectivity
Highly selective olefin epoxidation with manganese triazacyclononane complexes: impact of ligand substitution (D.E. De Vos and T. Bein), 195
Supported catalyst
Supported transition-metal catalysts for the C–C coupling reaction between ethene and diazoalkanes (M.E. Schneider, U. Möhring and H. Werner), 181

Thiocarbene complex
Reaktionen kationischer $\eta^2$-Phosphinocarben-Komplexe des Wolframs mit anionischen Nukleophilen (Th. Lehotkay, J. Ostermeier, C. Ogric und F.R. Kreißl), 59
Tin
New optically active organotin compounds for heterogeneous bimetallic catalysis (C. Lucas, C.C. Santini, M. Prinz, M.-A. Cordonnier, J.-M. Basset, M.-F. Connil and B. Jousseaume), 101
Titanium
Intramolekulare Cyclisierung von terminal disubstituierten $\alpha,\omega$-Diinen an Titanocen "$Cp_2Ti$" mit einer nachfolgendenungewöhnlichen Cp-Ringöffnung und neuen intramolekularen C–C-Knüpfung (A. Tillack, W. Baumann, A. Ohff, C. Lefeber, A. Spannenberg, R. Kempe und U. Rosenthal), 187
Linked amido–indenyl complexes of titanium (F. Amor and J. Okuda), 245
Synthesis of ansa-2,2′-bis[(4,7-dimethyl-inden-1-yl)methyl]-1,1′-binaphthyl and ansa-2,2′-bis[(4,5,6,7-tetrahydroinden1-yl)methyl]-1,1′-binaphthyltitanium and -zirconium dichlorides (R.L. Halterman, D. Combs, J.G. Kihega and M.A. Khan), 163
Untersuchungen von Polymerisations- und Metathesereaktionen, XXIII. Einfach und zweifach dimethylsilylen-verbrückte Metallocendichloride des Ti, Zr und Hf in der Ethen- und Propen-Polymerisation (K. Weiss, U. Neugebauer, S. Blau und H. Lang), 171
Titanocene
Reaktion eines Titanocen–Alkin-Komplexes mit Trialkylammoniumtetraphenylborat — eine neue Darstellungsweise und erste Kristallstrukturanalyse von neutralligandhaltigen kationischen Titanocen(III)-Komplexen [$\{Cp_2Ti(L)_2^+\}\{BPh_4^-\}$] (A. Ohff, R. Kempe, W. Baumann und U. Rosenthal), 241
1,3,5-Triazacyclohexane
The chemistry of 1,3,5-triazacyclohexane complexes 5: cationic zinc(II) alkyl complexes of N-alkylated 1,3,5-triazacyclohexanes and 13-benzyl-1,5,9-triazatricyclo[7.3.1.$0^{5,13}$]-tridecane (M. Haufe, R.D. Köhn, R. Weimann, G. Seifert and D. Zeigan), 121
Tricyclic
The chemistry of 1,3,5-triazacyclohexane complexes 5: cationic zinc(II) alkyl complexes of N-alkylated 1,3,5-triazacyclohexanes and 13-benzyl-1,5,9-triazatricyclo[7.3.1.$0^{5,13}$]-tridecane (M. Haufe, R.D. Köhn, R. Weimann, G. Seifert and D. Zeigan), 121
Triethylorthoformate
Rhodium-catalyzed double carbonylation of diiodomethane in the presence of triethylorthoformate (M. Cheong, M.-N. Kim and J.Y. Shim), 253
Trimethylsilyl
Influence of solvents on the insertion of methacrolein into zirconacyclopropenes (N. Peulecke, A. Ohff, W. Baumann, R. Kempe, V.V. Burlakov and U. Rosenthal), 235
Triplet oxygen
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. 158. Photochemische und photophysikalische Eigenschaften des Epoxidierungskatalysators $CH_3ReO(O_2)_2 \cdot H_2O$ (I. Hatzopoulos, H.-D. Brauer, M.R. Geisberger und W.A. Herrmann), 201
Trisaminomethanes
The chemistry of 1,3,5-triazacyclohexane complexes 5: cationic zinc(II) alkyl complexes of N-alkylated 1,3,5-triazacyclohexanes and 13-benzyl-1,5,9-triazatricyclo[7.3.1.$0^{5,13}$]-tridecane (M. Haufe, R.D. Köhn, R. Weimann, G. Seifert and D. Zeigan), 121
Tungsten
New heterodimetallic cyclopentadienyl carbonyl complexes: crystal structure of $(C_5Me_4Et)W(\mu\text{-}CO)_3Ru(C_5Me_5)$ (S.F. Amevor, H.-U. Hund and A. Salzer), 79
Reaktionen kationischer $\eta^2$-Phosphinocarben-Komplexe des Wolframs mit anionischen Nukleophilen (Th. Lehotkay, J. Ostermeier, C. Ogric und F.R. Kreißl), 59
Tungsten(VI)
*N*-Heterocyclic carbenes as ligands in high-valent molybdenum and tungsten complexes (W.A. Herrmann, G.M. Lobmaier and M. Elison), 231

Union Carbide catalyst
The Union Carbide catalyst ($Cp_2Cr + SiO_2$), studied by solid-state NMR (M. Schnellbach, F.H. Köhler and J. Blümel), 227

X-ray diffraction
Influence of solvents on the insertion of methacrolein into zirconacyclopropenes (N. Peulecke, A. Ohff, W. Baumann, R. Kempe, V.V. Burlakov and U. Rosenthal), 235
Metallorganische Verbindungen der Lanthanoide CVIII. Synthese und Strukturaufklärung monomerer Organolanthanoidacetate (H. Schumann, K. Zietzke, F. Erbstein und R. Weimann), 265
X-ray structure
Bidentate phosphines of heteroarenes: effective stabilization of the $Co_2(CO)_6$ fragment by 4,6-bis(diphenylphosphino)dibenzofuran (E.M. Vogl, J. Bruckmann, C. Krüger and M.W. Haenel), 249
Regioselective addition of chalcogenol to an $\eta^3$-propargyl/allenyl complex via formation of the carbon–chalcogen bond leading to new chalcogenoxyallyl species (F.-Y. Tsai, R.-H. Hsu, T.-M. Huang, J.-T. Chen, G.-H. Lee and Y. Wang), 85

Zinc
The chemistry of 1,3,5-triazacyclohexane complexes 5: cationic zinc(II) alkyl complexes of N-alkylated 1,3,5-triazacyclohexanes and 13-benzyl-1,5,9-triazatricyclo[7.3.1.$0^{5,13}$]-tridecane (M. Haufe, R.D. Köhn, R. Weimann, G. Seifert and D. Zeigan), 121
Zirconium
ansa-Metallocene derivatives XXXIII. 2-Dimethylamino-substituted bis-indenyl zirconium dichloride complexes with and without a dimethylsilyl bridge: syntheses, crystal structures and properties in propene polymerization catalysis (E. Barsties, S. Schaible, M.-H. Prosenc, U. Rief, W. Röll, O. Weyand, B. Dorer and H.-H. Brintzinger), 63
Influence of solvents on the insertion of methacrolein into zirconacyclopropenes (N. Peulecke, A. Ohff, W. Baumann, R. Kempe, V.V. Burlakov and U. Rosenthal), 235
Synthesis and characterization of the catalytic isotactic-specific metallocene complex ($\eta^5$-$C_5H_3C_4H_9$–$CMe_2$-$\eta^5$-$C_{13}H_8$)$ZrCl_2$. Mech-

anistic aspects of the formation of isotactic polypropylene, the stereoregulative effect of the distal substituent and the relevance of $C_2$ symmetry (A. Razavi and J.L. Atwood), 115

Synthesis of ansa-2,2′-bis[(4,7-dimethyl-inden-1-yl)methyl]-1,1′-binaphthyl and ansa-2,2′-bis[(4,5,6,7-tetrahydroinden1-yl)methyl]-1,1′-binaphthyltitanium and -zirconium dichlorides (R.L. Halterman, D. Combs, J.G. Kihega and M.A. Khan), 163

Untersuchungen von Polymerisations- und Metathesereaktionen, XXIII. Einfach und zweifach dimethylsilylen-verbrückte Metallocendichloride des Ti, Zr und Hf in der Ethen- und Propen-Polymerisation (K. Weiss, U. Neugebauer, S. Blau und H. Lang), 171

ansa-Zirconocenes

ansa-Metallocene derivatives XXXIII. 2-Dimethylamino-substituted bis-indenyl zirconium dichloride complexes with and without a dimethylsilyl bridge: syntheses, crystal structures and properties in propene polymerization catalysis (E. Barsties, S. Schaible, M.-H. Prosenc, U. Rief, W. Röll, O. Weyand, B. Dorer and H.-H. Brintzinger), 63